SAFETY DATA SHEET

Industrial Degreaser

69869, 69873, 69923, 69924, 69925 Re-Order #(s): EP075



Pro-Link Canada



IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Use of Preparation: Degreaser Company Identification: Pro-Link Canada Box 67082, 421 Richmond Road Ottawa, ON

K2A 4E4

Company Emergency Telephone Number(s):

(613) 722-0798

Transportation Emergency Telephone Number(s): CANUTEC 613-996-6666 or *666 for cell phone

UL Approved Approved for use in Food Processing Facilities



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL 2759



HAZARD IDENTIFICATION

GHS Hazards: Skin corrosion/irritation Category 2 H315

Serious eye damage/eye irritation Category 1 H318

Hazard Pictograms:



GHS Label Elements, Including Precautionary Statement

Signal Word: DANGER

Hazard

Statements: Causes skin irritation. Causes serious eye damage.

Precautionary

Statements: Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF ON SKIN: wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF

SKIN irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.





COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient Name	CAS#	Classification	% by Wt
Silicic Acid, disodium salt; Sodium metasilicate pentahydrate	6834-92-0	Skin corrosion/irritation Category 1A H314 STOT, single exposure; Respiratory tract irritation Category 3 H335 Corrosive to Metals Category 1 H290 Serious eye damage/eye irritation Category 1 H318	1-5
Sodium Dodecylbenzenesulfonate	25155-30-0	Acute toxicity,oral Category 4 H302 Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2A H319	1-5
Alcohols,C9-11,ethoxylated	68439-46-3	Acute toxicity,oral Category 4 H302 Serious eye damage/eye irritation Category 1 H318	1-5
Sodium Gluconate		not a hazardous substance according to GHS	1-5



FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If symptoms persist, call a physician

Eye Contact: Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids.

Repeat if required. If irritation persists get medical attention.

Skin Contact: Flush skin with plenty of water, for at least 15 minutes, while removing contaminated clothing. Call physician

immediately. Wash contaminated clothing before reuse.

Ingestion: Immediately call physician. DO NOT induce vomiting. Give several glasses of water. Never give anything by

mouth if victim is unconscious or convulsing.

Most Important

Symptoms and Effects: no available data

Notes to Physician: Treatment based on judgment of attending physician.



FIRE FIGHTING MEASURES



Suitable extinguishing media: As appropriate for burning of surrounding products

Unsuitable extinguishing media: No data available

Special exposure hazards: No data available

Special safety equipment: Self contained breathing apparatus and full protective clothing required for extinguishing fire.

Fire and explosion: Not considered to be a fire or explosive hazard

Further information: None



ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation,

ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel

only. Refer to protective measures listed in Sections 7 and 8

For Non-Emergency Personnel

Protective Equipment: Wear adequate personal protective equipment

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop leak if safe to do so. Ventilate area.

Environmental Precautions: Prevent release to the environment if possible. Dike large spills to prevent material from entering

streams or sewer systems.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.



HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin, eyes and clothing. Wear proper protective equipment

Information about fire and

explosion protection: No special measures required.

Requirements to be met by

storerooms and receptacles: Store in a cool and dry location. Keep away from incompatible materials, (see section 10)



Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about

storage conditions: Store in cool, dry conditions in well sealed receptacles.

Specific end use: not applicable



EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Normally not required. Mechanical ventilation should be adequate.

Hand protection: Rubber gloves

Eye protection: Safety glasses, or chemical goggles.

Skin protection: Personal protective equipment comprising of suitable protective gloves, safety glasses and protective clothing

Working hygiene: Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure Guidelines: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.

Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial

Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Silicic Acid, disodium salt; Sodium metasilicate pentahydrate

TWA ppm: N/A
TWA mg_m³: 2 mg/m³
STEL ppm: none
STEL mg_m³: none



PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Appearance:clear, orange liquidMolecular Weight:No Data AvailableOdour:Non specific odourOdour Threshold:No Data Available

pH: 11.5-12.5

Melting Point: No Data Available **Boiling Point:** No Data Available **Flash Point:** No Data Available **Evaporation Rate (BuAc=1):** No Data Available Flammable Limits in Air: No Data Available **Upper Flammability Limit:** No Data Available **Lower Flammability Limit:** No Data Available Vapour Density (Air=1): No Data Available Vapour Pressure: No Data Available

Specific Gravity:1.02-1.03Solubility in Water:Soluble in waterLog Pow (calculated):No Data AvailableAutoignition Temperature:No Data AvailableDecomposition Temperature:No Data Available

Viscosity: As Water

Solubility in other Solvents: No Data Available
Partition Coefficient: No Data Available



n-octanol / Water:No Data AvailableKinematic Viscosity:No Data AvailableDynamic Viscosity:No Data AvailableExplosive Properties:No Data AvailablePercent Volatile by Volume:No Data Available



STABILITY AND REACTIVITY

Reactivity: Normally stable.

Chemical stability: Stable under recommended handling and storage conditions (see section 7).

Thermal decomposition

conditions to avoid: not known

Possibility of hazardous

reactions: not known

Conditions to avoid: Unintentional contact with water and moisture. Keep containers tightly closed , when not in use.

Hazardous decomposition

products: Caustic fumes, oxides of nitrogen, hydrogen gas.

Materials to avoid: Strong acids, reactive metals, and ammonium salts.

Hazardous polymerization: none



TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: please see below

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms: No data available

Sensitization: No data available

Mutagenic Effects: No data available

Carcinogenicity: None of the ingredients is listed by IARC, ACGIH, NTP, and OSHA as carcinogen.

Reproductive Toxicity: No data available

STOT single exposure: No data available

STOT repeated exposure: No data available

Chronic Toxicity: No data available

Target Organ Effects: No data available

Aspiration hazard: No data available



Listed Ingredients:

Alcohols,C9-11,ethoxylated	LD50 (Oral) >1400 mg/Kg rat LD50 (Dermal) >5000mg/Kg Rat
Silicic Acid, disodium salt; Sodium metasilicate pentahydrate	Oral LD50 (rat) 1152-1379 mg/kg bw Inhalation LC50 (rat)>2.06 g/m3 Dermal LD50 (rat) >5000 mg/kg bw
Sodium Dodecylbenzenesulfonate	LD 50 (dermal) >2000mg/kg rabbit LD 50 (oral) > 1000 mg/kg Rat
Sodium Gluconate	LD50 (oral) 6060 mg/kg Rat LD50 (dermal) >2000 mg/kg Rat

12

ECOLOGICAL INFORMATION

Toxicity: High pH (alkalinity) of material may be harmful to aquatic life.

Persistence and Degradability: No Data Available

Bioaccumulative Potential: No Data Available

Mobility in Soil: No Data Available

Other Information: No Data Available

Aquatic Toxicity: No Data Available

Toxicity to algae, fish, invertebrates: No Data Available

Biodegradation: Surfactants are readily biodegradable under OECD 301 D.

13 DISI

DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international

regulations.

Ecology – Waste Materials: Avoid release to the environment.

Empty Containers: Reuse if possible or triple rinse and dispose according to local, provincial, state and federal

regulations



TRANSPORTATION INFORMATION

			Hazard		Packing
Department	Proper Shipping Name	Contains	Class	UN#	Group

Canadian TDG (Road &

Rail)

Not Regulated

Please note: This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.

1 5 REGULATION

OSHA/WHMIS 2015 Classification: Corrosive to Eyes

Skin Irritant

California PROP 65: No Ingredients

Cdn Domestic Substance List (DSL): All Ingredients Listed

HMIS III Rating

Health:

Flammability:

Physical:

Personal Protection:



OTHER INFORMATION

Prepared for:

Pro-Link Canada Box 67082, 421 Richmond Road Ottawa, ON K2A 4E4 (613) 722-0798

Issuing Date Version# Reason for Revision

Oct 11, 2016 1

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



